



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

RE APPLICATION OF:

Gellrich et al.

SERIAL NO.:

10/565,612

FILED ON:

January 23, 2006

DOCKET NO.:

OST-051293

SUPPLEMENTAL PRELIMINARY AMENDMENT

FOR:

MICROLITHOGRAPHIC PROJECTION EXPOSURE APPARATUS AND METHOD FOR INTRODUCING AN IMMERSION LIQUID INTO AN IMMERSION SPACE

Mail Stop Amendment COMMISSIONER FOR PATENTS P.O. Box 1450

Alexandria VA 22313-1450

ATTENTION OF: Not yet assigned

EXAMINER: Not yet assigned

Dear Examiner:

Prior to substantive examination, Applicant respectfully requests that the Examiner ignore the Preliminary Amendment mailed June 30, 2006 and consider instead the following Supplemental Preliminary Amendment.

Amendments to the Specification begin on page 2 of this paper.

Amendments to the Claims are reflected in the listing of claims which begins on page 8 of this paper.

Remarks/Arguments begin on page 11 of this paper.

FACTOR & LAKE, LTD.
1327 W. Washington Blvd
Suite 5G/H
Chicago, IL 60607
(312) 226-1818 Telephone
(312) 226-1919 Facsimile

34157
33727
39110
45743
54260